*Neuroscience Letters*, 193 (1995) 219–222
Elsevier Science Ireland Ltd.



## AUTHOR INDEX

Abbruzzese, M., see James, R., 136
Adem, A., see Islam, A., 49
Adem, A., see Mustafa, A., 193
Ajmar, F., see James, R., 136
Akai, F., Maeda, M., Hashimoto, S., Taneda, M., Takagi, H., A new animal model of cerebral infarction: magnetic embolization with carbonyl iron particles, 139
Akiyama, H., see Ikeda, K., 133
Anderson, P.N., see Tew, E.M.M., 33
Aragonés, M.D., see Catalán, R.E., 53
Arai, N., see Ikeda, K., 133
Arai, R., see Sakai, M., 142
Arai, T., see Ikeda, K., 133
Asada, H., see Ikeda, K., 197
Asayama, K., see Nishiyama, K., 205

Bellone, E., see James, R., 136
Belluardo, N., see Salin, T., 181
Béraud, P., Gahéry, Y., Relationships between the force of voluntary leg movements and the associated postural adjustments, 177
Bergmann, R., see Brust, P., 21
Boccone, L., see Maiese, K., 173
Bogdanovic, N., see Mustafa, A., 193
Boyd, T.L., see Kavanagh, J.M., 161
Brady, R.J., see Gorter, J.A., 209
Brinkmeier, H., see Rahn, K., 25
Brook, G.A., see Nacimiento, W., 13
Brust, P., Bergmann, R., Johannsen, B., Specific binding of [$^3$H]imipramine indicates the presence of a specific serotonin transport system on endothelial cells of porcine brain, 21
Buchanan, T.S., Lloyd, D.G., Muscle activity is different for humans performing static tasks which require force control and position control, 61
Bunn, S.J., see Kavanagh, J.M., 161
Burnstock, G., see Tew, E.M.M., 33

Camargo, L.A.A., see Saad, W.A., 169
Canlon, B., see Dagli, S., 57
Carlen, P.L., see Eubanks, J.H., 65
Catalán, R.E., Martínez, A.M., Aragonés, M.D., Hernández, F., Endothelin-1 stimulates myristoylated alanine-rich C-kinase substrate (MARCKS) phosphorylation in rat cerebellar slices, 53
Chambers, J.W., see Li, P.P., 153
Chen, D.-Z., see Ohkuma, S., 101
Choi, D., see Gottron, F., 1
Chu, N.-S., Betel chewing increases the skin temperature: effects of atropine and propranolol, 130
Clifton, G.L., see Kampfl, A., 149
Cooper, A.J., Wooller, S., Mitchell, I.J., Elevated striatal Fos immunoreactivity following 6-hydroxydopamine lesioning of the rat is mediated by excitatory amino acid transmission, 73
Coscina, D.V., see Li, P.P., 153
Cosentino, M., Marino, F., De Ponti, F., Giaroni, C., Somaini, L., Leoni, O., Lecchini, S., Frigo, G., Tonic modulation of neurotransmitter release in the guinea-pig myenteric plexus: effect of $\mu$ and $\kappa$ opioid receptor blockade and of chronic sympathetic denervation, 185

Dagli, S., Canlon, B., Protection against noise trauma by sound conditioning in the guinea pig appears not to be mediated by the middle ear muscles, 57
De Ponti, F., see Cosentino, M., 185
Dickenson, A.H., see Reeve, A.J., 81
Drake, C.L., see Wehr, T.A., 105

Esiri, M.M., see Sherriff, F.E., 37
Eubanks, J.H., Kerr, R.G., Perez-Velazquez, J.L., Carlen, P.L., Mills, L.R., Jones, O.T., Long-term bFGF neuronal culture: reintroduction into serum medium yields neurons and non-neuronal cells with neuronal characteristics, 65

Fearon, A., see Tew, E.M.M., 33
Feldman-Naim, S., see Wehr, T.A., 105
Fink-Jensen, A., Ludvigsen, T.S., Korsgaard, N., The effect of clozapine on Fos protein immunoreactivity in the rat forebrain is not mimicked by the addition of $\alpha_1$-adrenergic or $5HT_2$ receptor blockade to haloperidol, 77
Fraschini, F., see Nonno, R., 113
Frigo, G., see Cosentino, M., 185
Frölich, L., see Rahner-Welsch, S., 121
Fujii, T., see Sakai, M., 142

Gadient, R.A., Lachmund, A., Unsicker, K., Otten, U., Expression of interleukin-6 (IL-6) and IL-6 receptor mRNAs in rat adrenal medulla, 17
Gahéry, Y., see Béraud, P., 177
Gebhart, G.F., see Maves, T.J., 45
Giaroni, C., see Cosentino, M., 185
Gispen, W.H., see Nacimiento, W., 13
Godukhin, O., You, Z.-B., Herrera-Marschitz, M., Goiny, M., Pettersson, E., Hökfelt, T., Ungerstedt, U., Effect of local cholecystokinin-8 administration on extracellular levels of amino acids and glycolytic products monitored by in vivo microdialysis in the fronto-parietal cortex of the rat, 29
Goiny, M., see Godukhin, O., 29
Gorter, J.A., Brady, R.J., Modulation of *N*-methyl-D-aspartic acid receptors by extracellular calcium in immature and adult hippocampal slices: whole cell recordings in CA3 pyramidal cells, 209
Goto, J., see Nishiyama, K., 205
Gottron, F., Turetsky, D., Choi, D., SMI-32 antibody against non-phosphorylated neurofilaments identifies a subpopulation of cultured cortical neurons hypersensitive to kainate toxicity, 1
Green, M., see Li, P.P., 153
Greenberg, R., see Maiese, K.,173
Gundlach, A.L., see O'Shea, R.D., 189

Hamberger, A., see Jardemark, K., 93
Häppölä, O., see Karhula, T., 85
Hashimoto, S., see Akai, F., 139
Hayakawa, T., see Yamanaka, K., 124
Hayes, R.L., see Kampfl, A., 149
Henriksson, B., see Islam, A., 49
Hernández, F., see Catalán, R.E., 53
Herrera-Marschitz, M., see Godukhin, O., 29
Hökfelt, T., see Godukhin, O., 29
Holmin, S., Mathiesen, T., Biphasic edema development after experimental brain contusion in rat, 97

Horváth M., see Illing, R.-B., 9
Hoyer, S., see Rahner-Welsch, S., 121
Huang, Z., see Yoshida, T., 214

Igelmund, P., see Spangenberger, H., 127
Ikeda, K., Akiyama, H., Kondo, H., Arai, T., Arai, N., Yagishita, S., Numerous glial fibrillary tangles in oligodendroglia in cases of subacute sclerosing panencephalitis with neurofibrillary tangles, 133
Ikeda, K., Shirao, T., Toda, M., Asada, H., Toya, S., Uyemura, K., Effect of a neuron-specific actin-binding protein, drebrin A, on cell-substratum adhesion, 197
Illing, R.-B., Horváth M., Re-emergence of GAP-43 in cochlear nucleus and superior olive following cochlear ablation in the rat, 9
Islam, A., Henriksson, B., Mohammed, A., Winblad, B., Adem, A., Behavioural deficits in adult rats following long-term adrenalectomy, 49
Islam, A., see Mustafa, A., 193
Itoh T., see Kamisaki, Y., 5
Iwatsuki, K.-i., see Yamanaka, K., 124

Jacobson, I., see Jardemark, K., 93
James, R., Bellone, E., Nelis, E., Mandich, P., Schenone, A., Mancardi, G., Van Broeckhoven, C., Abbruzzese, M., Ajmar, F., Molecular analysis of three cases with hereditary motor and sensory neuropathy with myelin outfolding, 136
Jardemark, K., Nyström, B., Rydenhag, B., Hamberger, A., Jacobson, I., Expression of $Ca^{2+}$-ion permeable $\alpha$-amino-3-hydroxy-5-methyl-4-isoxazolepropionate (AMPA) receptors in *Xenopus* oocytes injected with total RNA from human epileptic temporal lobe, 93
Jiang, X.H., see Salin, T., 181
Joachim, C.L., see Sherriff, F.E., 37
Johannsen, B., see Brust, P., 21
Jones, O.T., see Eubanks, J.H., 65

Kaleczyk, J., see Karhula, T., 85
Kalra, P.S., see Kalra, S.P., 165
Kalra, S.P., Pearson, E., Sahu, A., Kalra, P.S., Agmatine, a novel hypothalamic amine, stimulates pituitary luteinizing hormone release in vivo and hypothalamic luteinizing hormone-releasing hormone release in vitro, 165
Kamisaki, Y., Wada, K., Nakamoto, K., Itoh T., Nitric oxide inhibition of the depolarization-evoked glutamate release from synaptosomes of rat cerebellum, 5
Kampfl, A., Whitson, J.S., Zhao, X., Posmantur, R., Clifton, G.L., Hayes, R.L., Calpain inhibitors reduce depolarization induced loss of tau protein in primary septo-hippocampal cultures, 149
Kanazawa, I., see Nishiyama, K., 205
Kanter, R.K., Strauss, J.A., Sauro, M.D., Seizure-induced c-fos expression in rat medulla oblongata is not dependent on associated elevation of blood pressure, 201
Karasawa, N., see Sakai, M., 142
Karhula, T., Soinila, S., Lakomy, M., Majewski, M., Kaleczyk, J., Häppölä, O., 5-Hydroxytryptamine-immunoreactive nerve fibers in the rat and porcine prevertebral sympathetic ganglia: effect of precursor loading and relation to catecholaminergic neurons, 85
Katsura, M., see Ohkuma, S., 101
Kavanagh, J.M., Bunn, S.J., Boyd, T.L., Rostas, J.A.P., Developmental changes in glutamate receptor stimulated inositol phospholipid metabolism and $^{45}Ca^{2+}$-accumulation in posthatch chicken forebrain, 161
Kerr, R.G., see Eubanks, J.H., 65
Kondo, H., see Ikeda, K., 133
Korsgaard, N., see Fink-Jensen, A., 77
Kosaka, H., see Yamanaka, K., 124
Kreutzberg, G.W., see Nacimiento, W., 13
Kumura, E., see Yamanaka, K., 124
Kuriyama, K., see Ohkuma, S., 101
Kwak, S., see Nishiyama, K., 205

Lachmund, A., see Gadient, R.A., 17
Lakomy, M., see Karhula, T., 85
Law, G., see Li, P.P., 153
Lecchini, S., see Cosentino, M., 185
Leoni, O., see Cosentino, M., 185
Li, P.P., Law, G., Green, M., Chambers, J.W., Coscina, D.V., Warsh, J.J., Serotonin depletion by 5,7-dihydroxytryptamine does not affect G protein subunit levels in rat cortex, 153
Li, Y., see Wu, Y., 109
Lindefors, N., see Zachrisson, O., 89
Liu, H., see Wu, Y., 109
Lloyd, D.G., see Buchanan, T.S., 61
Lucini, V., see Nonno, R., 113
Ludvigsen, T.S., see Fink-Jensen, A., 77

Maeda, M., see Akai, F., 139
Maiese, K., Greenberg, R., Boccone, L., Swiriduk, M., Activation of the metabotropic glutamate receptor is neuroprotective during nitric oxide toxicity in primary hippocampal neurons of rats, 173
Maixner, W., see Suarez-Roca, H., 41
Majewski, M., see Karhula, T., 85
Mancardi, G., see James, R., 136
Mandich, P., see James, R., 136
Marino, F., see Cosentino, M., 185
Martínez, A.M., see Catalán, R.E., 53
Masana, Y., see Yamanaka, K., 124
Mathé, A.A., see Zachrisson, O., 89
Mathiesen, T., see Holmin, S., 97
Maves, T.J., Gebhart, G.F., Meller S.T., Continuous infusion of acidified saline around the rat sciatic nerve produces thermal hyperalgesia, 45
Meller S.T., see Maves, T.J., 45
Menani, J.V., see Saad, W.A., 169
Metsis, M., see Salin, T., 181
Mills, L.R., see Eubanks, J.H., 65
Mitchell, I.J., see Cooper, A.J., 73
Mohammed, A., see Islam, A., 49
Moskowitz, M.A., see Yoshida, T., 214
Mudò, G., see Salin, T., 181
Murayama, S., see Nishiyama, K., 205
Mustafa, A., Bogdanovic, N., Nyberg, F., Suliman, I., Islam, A., Roos, P., Winblad, B., Adem, A., Effects of long-term ovariectomy and ovarian steroids on somatogenic binding sites in rat brain and liver, 193

Nacimiento, W., Sappok, T., Brook, G.A., Tóth, L., Oestreicher, A.B., Gispen, W.H., Noth, J., Kreutzberg G.W., B-50 (GAP-43) in the rat spinal cord caudal to hemisection: lack of intraspinal sprouting by dorsal root axons, 13
Nagatsu, I., see Sakai, M., 142
Nakamoto, K., see Kamisaki, Y., 5
Narihara, H., see Ohkuma, S., 101
Nelis, E., see James, R., 136

Nikmanesh, F.Gh., see Spangenberger, H., 127
Nishiyama, K., Kwak, S., Murayama, S., Watanabe, M., Goto, J., Asayama, K., Kanazawa, I., Increased Cu/Zn superoxide dismutase-like immunoreactivity in the swollen axons of rats intoxicated chronically with $\beta,\beta'$-iminodipropionitrile, 205
Nonno, R., Lucini, V., Stankov, B., Fraschini, F., 2-[$^{125}$I]Iodomelatonin binding sites in the bovine hippocampus are not sensitive to guanine nucleotides, 113
Noth, J., see Nacimiento, W., 13
Nyberg, F., see Mustafa, A., 193
Nyström, B., see Jardemark, K., 93

O'Shea, R.D., Gundlach, A.L., Activity-linked alterations in cholecystokinin$_B$ receptor messenger RNA levels in magnocellular hypothalamic neurones by food and water deprivation in the rat, 189
Oestreicher, A.B., see Nacimiento, W., 13
Ohkuma, S., Katsura, M., Chen, D.-Z., Narihara, H., Kuriyama, K., Removal of hydroxyl radical increases nitric oxide generators-induced [$^3$H]GABA release from mouse cerebral cortical neurons, 101
Otten, U., see Gadient, R.A., 17

Pearson, E., see Kalra, S.P., 165
Perez-Velazquez, J.L., see Eubanks, J.H., 65
Persinger, M.A., Vestibular experiences of humans during brief periods of partial sensory deprivation are enhanced when daily geomagnetic activity exceeds 15–20 nT, 69
Pettersson, E., see Godukhin, O., 29
Poduslo, S.E., Riggs, D., Rolan, T., Schwankhaus J., Apolipoprotein E and B alleles in Parkinson's patients, 145
Posmantur, R., see Kampfl, A., 149

Rahn, K., Brinkmeier, H., Rüdel, R., Human serum albumin enhances sodium currents in NH15-CA2 neuroblastoma × glioma hybrid cells, 25
Rahner-Welsch, S., Frölich, L., Stoll, S., Hoyer, S., Decline and preservation of reversal learning abilities and acquisition in the course of senescence, 121
Reeve, A.J., Dickenson, A.H., Electrophysiological study on spinal antinociceptive interactions between adenosine and morphine in the dorsal horn of the rat, 81
Renzi, A., see Saad, W.A., 169
Richards, P.M., see Persinger, M.A., 69
Riggs, D., see Poduslo, S.E., 145
Rolan, T., see Poduslo, S.E., 145
Roos, P., see Mustafa, A., 193
Rosenthal, N.E., see Wehr, T.A., 105
Rostas, J.A.P., see Kavanagh, J.M., 161
Rüdel, R., see Rahn, K., 25
Rydenhag, B., see Jardemark, K., 93

Saad, W.A., Camargo, L.A.A., Renzi, A., Menani, J.V., Saad, W.A., Role of alpha$_1$ and alpha$_2$-adrenoceptors of the lateral hypothalamic area on urinary excretion caused by centrally administered angiotensin II, 169
Saad, W.A., see Saad, W.A., 169
Sahu, A., see Kalra, S.P., 165
Sakai, M., Fujii, T., Karasawa, N., Arai, R., Nagatsu, I., Enhanced expression of tyrosine hydroxylase and aromatic L-amino acid decarboxylase in cerebellar Purkinje cells of mouse after hyperosmotic stimuli, 142
Salin, T., Mudò, G., Jiang, X.H., Timmusk, T., Metsis, M., Belluardo, N., Up-regulation of *trk*B mRNA expression in the rat striatum after seizures, 181
Santer, R.M., see Warburton, A.L, 157
Sappok, T., see Nacimiento, W., 13
Sauro, M.D., see Kanter, R.K., 201
Schenone, A., see James, R., 136
Schwankhaus J., see Poduslo, S.E., 145
Schwartz, P.J., see Wehr, T.A., 105
Schweitzer, J.B., see Singh, V., 117
Sherriff, F.E., Joachim, C.L., Squier, M.V., Esiri, M.M., Ubiquitinated inclusions in inclusion-body myositis patients are immunoreactive for cathepsin D but not $\beta$-amyloid, 37
Shiga, T., see Yamanaka, K., 124
Shirao, T., see Ikeda, K., 197
Singh, V., Schweitzer, J.B., Loss of p75 nerve growth factor receptor mRNA containing neurons in rat forebrain after intraventricular IgG 192-saporin administration, 117
Soinila, S., see Karhula, T., 85
Somaini, L., see Cosentino, M., 185
Spangenberger, H., Nikmanesh, F.Gh., Igelmund, P., Long-term potentiation at low temperature is stronger in hippocampal slices from hibernating Turkish hamsters compared to warm-acclimated hamsters and rats, 127
Squier, M.V., see Sherriff, F.E., 37
Stankov, B., see Nonno, R., 113
Stenfors, C., see Zachrisson, O., 89
Stoll, S., see Rahner-Welsch, S., 121
Strauss, J.A., see Kanter, R.K., 201
Suarez-Roca, H., Morphine produces a biphasic modulation of substance P release from cultured dorsal root ganglion neurons, 41
Suliman, I., see Mustafa, A., 193
Swiriduk, M., see Maiese, K., 173

Takagi, H., see Akai, F., 139
Taneda, M , see Akai, F., 139
Tew, E.M.M., Fearon, A., Anderson, P.N., Burnstock, G., Tyrosine hydroxylase-containing fibres extend from the rat corpus striatum into grafts of muscularis externa and myenteric plexus, 33
Timmusk, T., see Salin, T., 181
Toda, M., see Ikeda, K., 197
Tóth, L., see Nacimiento, W., 13
Toya, S., see Ikeda, K., 197
Turetsky, D., see Gottron, F., 1
Turner, E.H., see Wehr, T.A., 105

Ungerstedt, U., see Godukhin, O., 29
Unsicker, K., see Gadient, R.A., 17
Uyemura, K., see Ikeda, K., 197

Van Broeckhoven, C., see James, R., 136

Wada, K., see Kamisaki, Y., 5
Waeber, C., see Yoshida, T., 214
Warburton, A.L, Santer, R.M., Decrease in synapsin I staining in the hypogastric ganglion of aged rats, 157
Warsh, J.J., see Li, P.P., 153
Watanabe, M., see Nishiyama, K., 205
Wehr, T.A., Schwartz, P.J., Turner, E.H., Feldman-Naim, S., Drake, C.L., Rosenthal, N.E., Bimodal patterns of human melatonin secretion consistent with a two-oscillator model of regulation, 105

Whitson, J.S., see Kampfl, A., 149
Winblad, B., see Islam, A., 49
Winblad, B., see Mustafa, A., 193
Wooller, S., see Cooper, A.J., 73
Wu, W., see Wu, Y., 109
Wu, Y., Li, Y., Liu, H., Wu, W., Induction of nitric oxide synthase and motoneuron death in newborn and early postnatal rats following spinal root avulsion, 109

Yagishita, S., see Ikeda, K., 133
Yamanaka, K., Kumura, E., Iwatsuki, K.-i., Yoshimine, T., Masana, Y., Hayakawa, T., Shiga, T., Kosaka, H., Increase in plasma nitric oxide end products following rat cortical injury, 124
Yoshida, T., Waeber, C., Huang, Z., Moskowitz, M.A., Induction of nitric oxide synthase activity in rodent brain following middle cerebral artery occlusion, 214
Yoshimine, T., see Yamanaka, K., 124
You, Z.-B., see Godukhin, O., 29

Zachrisson, O., Mathé, A.A., Stenfors, C., Lindefors, N., Region-specific effects of chronic lithium administration on neuropeptide Y and somatostatin mRNA expression in the rat brain, 89
Zhao, X., see Kampfl, A., 149